


NOTE: BAR PLACEMENT  
CANADA REFER TO CCMC # 13043-R  
U.S. REFER TO ICC-ESR-1269


OR LOCAL BUILDING CODE  
OR PROFESSIONAL ENGINEER  
REQUIREMENTS

WATER AND PLUMBING LINES UP TO  
2 1/2" O.D. MAY BE INSTALLED IN THE  
POLYSTYRENE. LARGER PLUMBING LINES  
SHOULD BE INSTALLED PRIOR TO  
POURING CONCRETE.



TOP VIEW

MARK PIPE ROUTE AND USE A HOT KNIFE,  
ELECTRIC SOLDER'G GUN or ROUTER TO CUT  
A GROVE TO WIDTH AND DEPTH OF PIPING



SIDE VIEW



Website: [www.amvicsystem.com](http://www.amvicsystem.com)

AMVIC INC.  
501 McNicoll Avenue  
Toronto, ON M2H 2E2  
Canada

Toll Free: 877-470-9991  
Fax: 416-759-7402

## PLUMBING INSTALLATION

Drawing Scale: 1" = 1'-0"

Creation Date: JULY, 2004

Revision: -

Drawing ID Number: AMV-CON-006

ALL DETAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH LOCAL BUILDING  
CODES AND PRACTICES. AMVIC INC. RESERVES THE RIGHT TO CHANGE  
INFORMATION SHOWN WITHOUT NOTICE.